

PATENT APPLICATION

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re the application of:

Attorney Docket No.: 1725.159US02

Nagy et al.

Confirmation No.: 3283

Application No.: 10/773,097

Examiner: Not Assigned

Filed: February 5, 2004

Group Art Unit: 3629

For: OPTIMIZED BUBBLE UP RECEIVER AMR SYSTEM

RESPONSE TO NOTICE OF INCOMPLETE REPLY

Mail Stop Missing Parts
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

In response to the Notice of Incomplete Reply (copy attached) mailed December 14, 2004, submitted herewith are twenty-five (25) sheets of formal drawings.


A check in the amount of \$120.00 is enclosed for the one (1) month extension of time. The Commissioner is hereby authorized to grant any extensions of time and to charge any fees under 37 C.F.R. §§ 1.16 and 1.17 that may be required during the entire pendency of this application to Deposit Account No. 16-0631.

Entry of these documents should complete all of the filing formalities and fully satisfy all requirements of the Notice to File Missing Parts. Accordingly, examination and allowance of this application in due course are respectfully solicited.

Application No. 10/773,097

The Commissioner is hereby authorized to charge any underpayment or credit any overpayment to Deposit Account No. 16-0631.

Respectfully submitted,



Kimberly K. Baxter
Registration No. 40,504


Customer No. 24113
Patterson, Thuente, Skaar & Christensen, P.A.
4800 IDS Center
80 South 8th Street
Minneapolis, Minnesota 55402-2100
Telephone: (612) 349-5750

Please grant any extension of time necessary for entry; charge any fee due to Deposit Account No. 16-0631.

CERTIFICATE OF MAILING

I hereby certify that this document is being deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on

December 21, 2004
Date of Deposit


Kimberly K. Baxter



PATENT APPLICATION

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re the application of:

Attorney Docket No.: 1725.159US02

Nagy et al.

Confirmation No.: 3283

Application No.: 10/773,097

Examiner: Not Assigned

Filed: February 5, 2004

Group Art Unit: 3629

For: OPTIMIZED BUBBLE UP RECEIVER AMR SYSTEM

SUBMISSION OF FORMAL DRAWINGS

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

Informal drawings were submitted for filing with the above-identified patent application.
Enclosed for filing are twenty-five (25) sheets (Figs. 1-21) of formal drawings.

Respectfully submitted,

Kimberly K. Baxter
Registration No. 40,504

Customer No. 24113
Patterson, Thuente, Skaar & Christensen, P.A.
4800 IDS Center
80 South 8th Street
Minneapolis, Minnesota 55402-2100
Telephone: (612) 349-5750

Please grant any extension of time necessary for entry; charge any fee due to Deposit Account No. 16-0631.

CERTIFICATE OF MAILING

I hereby certify that this document is being deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on

December 21, 2004
Date of Deposit

Kimberly K. Baxter



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
 United States Patent and Trademark Office
 Address: COMMISSIONER FOR PATENTS
 P.O. Box 1450
 Alexandria, Virginia 22313-1450
 www.uspto.gov

APPLICATION NUMBER	FILING OR 371 (c) DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
10/773,097	02/05/2004	Christopher Nagy	1725.159US02

24113

PATTERSON, THUENTE, SKAAR & CHRISTENSEN
 4800 IDS CENTER
 80 SOUTH 8TH STREET
 MINNEAPOLIS, MN 55402-2100



CONFIRMATION NO. 3283

FORMALITIES LETTER



OC000000014752475

Date Mailed: 12/14/2004

NOTICE OF INCOMPLETE REPLY (NONPROVISIONAL)

Filing Date Granted

- The U.S. Patent and Trademark Office has received your reply on 12/06/2004 to the Notice to File Missing Parts (Notice) mailed 12/03/2004 and it has been entered into the nonprovisional application. The reply, however, does not include the following items required in the Notice.

The period of reply remains as set forth in the Notice. You may, however, obtain EXTENSIONS OF TIME under the provisions of 37 CFR 1.136 (a) accompanied by the appropriate fee (37 CFR 1.17(a)).

A complete reply must be timely filed to prevent ABANDONMENT of the above-identified application. Replies should be mailed to: Mail Stop Missing Parts, Commissioner for Patents, P.O. Box 1450, Alexandria VA 22313-1450.


The application is informal since it does not comply with the regulations for the reason(s) indicated below.

The required item(s) identified below must be timely submitted to avoid abandonment:

- Replacement drawings in compliance with 37 CFR 1.84 and 37 CFR 1.121 are required. The drawings submitted are not acceptable because:
 - The drawings have a line quality that is too light to be reproduced (weight of all lines and letters must be heavy enough to permit adequate reproduction) or text that is illegible (reference characters, sheet numbers, and view numbers must be plain and legible) see 37 CFR 1.84(l) and (p)(1)); See Figure(s) FIG 1.
 - The drawings submitted to the Office are not electronically reproducible. Drawing sheets must be submitted on paper, which is flexible, strong, white, smooth, non-shiny, and durable (see 37 CFR 1.84(e)). See Figure(s) FIGS 1-4 15-19 21.

Replies should be mailed to: Mail Stop Missing Parts
 Commissioner for Patents
 P.O. Box 1450
 Alexandria VA 22313-1450

*A copy of this notice **MUST** be returned with the reply.*



Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE